

5. Rastogi A, Puli S, El-Serag HB et al. Incidence of esophageal adenocarcinoma in patients with Barrett's esophagus and high-grade dysplasia: a meta-analysis. *Gastrointest Endosc* 2008; 67: 394–398.
6. Naini BV, Souza RF, Odze RD Barrett's Esophagus: A Comprehensive and Contemporary Review for Pathologists. *Am J Surg Pathol* 2016; 40: e45–e66.
7. Wallace M, Lauwers GY, Chen Y et al. Miami classification for probe-based confocal laser endomicroscopy. *Endoscopy* 2011; 43: 882–891.
8. Gaddam S, Mathur SC, Singh M et al. Novel probe-based confocal laser endomicroscopy criteria and interobserver agreement for the detection of dysplasia in Barrett's esophagus. *Am J Gastroenterol* 2011; 106: 1961–1969.
9. di Pietro M, Bertani H, O'Donovan M et al. Development and Validation of Confocal Endomicroscopy Diagnostic Criteria for Low-Grade Dysplasia in Barrett's Esophagus. *Clin Transl Gastroenterol* 2019; 10: e00014.
10. Moravčík P, Hlavsa J, Kunovský L et al. Confocal Laser Endomicroscopy in the Diagnostics of Malignancy of the Gastrointestinal Tract. *Klin Onkol* 2017; 30: 258–263.
11. Fuks D, Pierangelo A, Validire P et al. Intraoperative confocal laser endomicroscopy for real-time in vivo tissue characterization during surgical procedures. *Surg Endosc* 2019; 33: 1544–1552.
12. Sharma P, Meining AR, Coron E et al. Real-time increased detection of neoplastic tissue in Barrett's esophagus with probe-based confocal laser endomicroscopy: final results of an international multicenter, prospective, randomized, controlled trial. *Gastrointest Endosc* 2011; 74: 465–472.
13. Canto MI, Anandasabapathy S, Brugge W et al. In vivo endomicroscopy improves detection of Barrett's esophagus-related neoplasia: a multicenter international randomized controlled trial (with video). *Gastrointest Endosc* 2014; 79: 211–221.
14. Shah T, Lippman R, Kohli D et al. Accuracy of probe-based confocal laser endomicroscopy (pCLE) compared to random biopsies during endoscopic surveillance of Barrett's esophagus. *Endosc Int Open* 2018; 6: E414–E420.
15. Kariv R, Plesec TP, Goldblum JR et al. The Seattle protocol does not more reliably predict the detection of cancer at the time of esophagectomy than a less intensive surveillance protocol. *Clin Gastroenterol Hepatol* 2009; 7: 653–658.
16. Caillol F, Godat S, Poizat F et al. Probe confocal laser endomicroscopy in the therapeutic endoscopic management of Barrett's dysplasia. *Ann Gastroenterol* 2017; 30: 295–301.
17. Siegel R, Naishadham D, Jemal A Cancer statistics, 2012 *CA Cancer J Clin* 2012; 62: 10–29.
18. Hur C, Miller M, Kong CY et al. Trends in esophageal adenocarcinoma incidence and mortality. *Cancer* 2013; 119: 1149–1158.
19. Falk GW Barrett's Esophagus: Frequency and Prediction of Dysplasia and Cancer. *Best Pract Res Clin Gastroenterol* 2015; 29: 125–138.
20. Domper Arnal MJ, Ferrández Arenas Á, Lanás Arbeloa Á Esophageal cancer: Risk factors, screening and endoscopic treatment in Western and Eastern countries. *World J Gastroenterol* 2015; 21: 7933–7943.
21. Svoboda P, Dítě P, Klvaňa P et al. Risk factors and progression predictors of Barrett's esophagus to adenocarcinoma. *Vnitř Lék* 2014; 60: 467–473.
22. Pech O, Gossner L, Manner H et al. Prospective evaluation of the macroscopic types and location of early Barrett's neoplasia in 380 lesions. *Endoscopy* 2007; 39: 588–593.
23. Kariyawasam VC, Bourke MJ, Hourigan LF et al. Circumferential location predicts the risk of high-grade dysplasia and early adenocarcinoma in short-segment Barrett's esophagus. *Gastrointest Endosc* 2012; 75: 938–944.
24. Pohl H, Wrobel K, Bojarski C et al. Risk factors in the development of esophageal adenocarcinoma. *Am J Gastroenterol* 2013; 108: 200–207.
25. Anaparthi R, Gaddam S, Kanakadandi V et al. Association between length of Barrett's esophagus and risk of high-grade dysplasia or adenocarcinoma in patients without dysplasia. *Clin Gastroenterol Hepatol* 2013; 11: 1430–1436.
26. Richardson C, Colavita P, Dunst C et al. Real-time diagnosis of Barrett's esophagus: a prospective, multicenter study comparing confocal laser endomicroscopy with conventional histology for the identification of intestinal metaplasia in new users. *Surg Endosc* 2019; 33: 1585–1591.
27. Fitzgerald RC, di Pietro M, Ragunath K et al. British Society of Gastroenterology guidelines on the diagnosis and management of Barrett's oesophagus. *Gut* 2014; 63: 7–42.
28. Shaheen NJ, Sharma P, Overholt BF et al. Radiofrequency ablation in Barrett's esophagus with dysplasia. *N Engl J Med* 2009; 360: 2277–2288.
29. Kroupa R, Konečný Š, Dolina J Current trends in the diagnosis and treatment of gastroesophageal reflux disease. *Vnitř Lék* 2018; 64: 588–594.
30. Martínek J, Falt P, Gregar J et al. Guidelines of the Czech gastroenterological society -endoscopic treatment of Barrett's esophagus and early esophageal neoplasia. *Gastroent Hepatol* 2013; 67: 479–487.
31. Leers JM, DeMeester SR, Oezcelik A et al. The prevalence of lymph node metastases in patients with T1 esophageal adenocarcinoma a retrospective review of esophagectomy specimens. *Ann Surg* 2011; 253: 271–278.
32. Pimentel-Nunes P, Dinis-Ribeiro M, Ponchon T et al. Endoscopic submucosal dissection: European Society of Gastrointestinal Endoscopy (ESGE) Guideline. *Endoscopy* 2015; 47: 829–854.
33. Lin JL T1 esophageal cancer, request an endoscopic mucosal resection (EMR) for in-depth review. *J Thorac Dis* 2013; 5: 353–356.
34. Barbour AP, Jones M, Brown I et al. Risk stratification for early esophageal adenocarcinoma: analysis of lymphatic spread and prognostic factors. *Ann Surg Oncol* 2010; 17: 2494–2502.
35. Xiong YQ, Ma SJ, Zhou JH et al. A meta-analysis of confocal laser endomicroscopy for the detection of neoplasia in patients with Barrett's esophagus. *J Gastroenterol Hepatol* 2016; 31: 1102–1110.
36. Xiong YQ, Ma SJ, Hu HY et al. Comparison of narrow-band imaging and confocal laser endomicroscopy for the detection of neoplasia in Barrett's esophagus: A meta-analysis. *Clin Res Hepatol Gastroenterol* 2018; 42: 31–39.
37. Wallace MB, Meining A, Canto MI et al. The safety of intravenous fluorescein for confocal laser endomicroscopy in the gastrointestinal tract. *Aliment Pharmacol Ther* 2010; 31: 548–552.
38. Groof J de, van der Sommen F, van der Putten J et al. The Argos project: The development of a computer-aided detection system to improve detection of Barrett's neoplasia on white light endoscopy. *United Eur Gastroenterol J* 2019; 7: 538–547.